

**=> IFW:     Scan as Doc Code: SRNT    <=**  
**Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:** **10/728,346**

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Wednesday

Date: 9/13/2006

Time: 15:17:37

 **PALM INTRANET**

## Inventor Information for 10/728346

Inventor Name	City	State/Country
<u>UMEMURA, SATOSHI</u>	KARIYA-SHI	JAPAN
<u>HIROSE, TATSUYA</u>	KARIYA-SHI	JAPAN
<u>HASHIMOTO, YUJI</u>	KARIYA-SHI	JAPAN
<u>MATSUBARA, RYO</u>	KARIYA-SHI	JAPAN
<u>SUZUKI, JUNYA</u>	KARIYA-SHI	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign I](#)Search Another: Application#   or Patent#  PCT /  /   or PG PUBS #  Attorney Docket #  Bar Code #  

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

1	US 7098579 B2	20060829	Transmitting apparatus, sound sensor and autonomous traveling vehicle	310/339	310/319; 367/117; 367/118	Tokumaru; Tomoyoshi et al.
1	US 6923626 B2	20050802	Variable displacement compressor with decelerating mechanism for noise inhibition	417/222.2		Ota; Masaki et al.
1	US 6910344 B2	20050628	Compressor torque estimate device, engine controller and method of estimating compressor torque	62/228.3	417/12; 417/213; 417/34; 62/228.1; 62/228.5; 62/244	Matsubara; Ryo et al.
1	US 6793207 B2	20040921	Liquid-confined vibration isolator	267/140.13	267/220	Umemura; Satoshi et al.
1	US 6783332 B2	20040831	Control valve of variable displacement compressor with pressure sensing member	417/222.2	137/340	Umemura; Satoshi et al.
1	US 6771599 B1	20040803	Method and unit for control of communication	370/230	370/235	Aoyama; Yasuhiro et al.
1	US 6751971 B2	20040622	Variable displacement type compressor, air conditioner with the variable displacement type compressor, and method for controlling displacement in the variable displacement type compressor	62/228.5	62/229	Kawaguchi; Masahiro et al. □
1	US 6749954 B2	20040615	Welded steel pipe having excellent hydroformability and method for making the same	428/683	138/171; 148/516; 148/519; 148/529; 148/590	Toyooka; Takaaki et al.
1	US 6739843 B2	20040525	Control valve and variable displacement compressor having the same	417/222.2	251/129.15; 335/281; 417/269	Umemura; Satoshi et al.
1	US	20040504	Displacement control	417/222.2	417/222.1	Umemura;

	6729853 B2		device for variable displacement compressor			Satoshi et al.
1	US 6723453 B2	20040420	Welded steel pipe having excellent hydroformability and method for making the same	428/683	138/171; 148/516; 148/519; 148/529; 148/590	Toyooka; Takaaki et al.
1	US 6720199 B2	20040413	Method for manufacturing TFT array substrate of liquid crystal display device	438/30	349/148; 438/149; 438/736	Matsubara; Ryouta
1	US 6684654 B2	20040203	Control valve for variable displacement compressor	62/228.3	251/129.15; 310/15; 417/222.2	Fukasaku; Hiroshi et al.
1	US 6682829 B2	20040127	Welded steel pipe having excellent hydroformability and method for making the same	428/683	138/171; 148/516; 148/519; 148/529; 148/590	Toyooka; Takaaki et al.
1	US 6682314 B2	20040127	Control valve for variable displacement type compressor	417/222.2	251/61.5; 62/228.5	Umemura; Satoshi et al.
1	US 6679078 B2	20040120	Variable displacement compressors and methods for controlling the same	62/228.3	417/222.2; 62/229	Yoshida; Hiroyuki et al.
1	US 6663356 B2	20031216	Control valve for variable displacement type compressor	417/222.2	62/228.3; 62/228.5	Ota; Masaki et al.
1	US 6662580 B2	20031216	Air-conditioning system for vehicle and its control method	62/228.1	123/339.17; 417/374; 417/411; 417/42; 62/230	Suitou; Ken et al.
1	US 6650522 B2	20031118	Semiconductor relay system and method for controlling the semiconductor relay system	361/93.1	361/100	Horibata; Kenji et al.
1	US 6647737 B2	20031118	Air conditioner	62/228.3	73/756; 73/861.62	Suitou; Ken et al.
1	US 6638026	20031028	Control valve for variable displacement	417/222.2	62/228.3; 62/228.5	Suitou; Ken et al.

	B2		compressor			
1	US 6637228 B2	20031028	Control valve of variable displacement compressor	62/228.3	251/129.02; 417/222.2	Umemura; Satoshi et al.
1	US 6604912 B2	20030812	CONTROL VALVE USED FOR A VARIABLE DISPLACEMENT COMPRESSOR INSTALLED IN A REFRIGERANT CIRCUIT HAVING AT LEAST ONE OF A FIRST PRESSURE CHAMBER AND A SECOND PRESSURE CHAMBER FORMING PART OF THE REFRIGERANT CIRCUIT	417/222.2	62/228.3; 62/228.5	Suitou; Ken et al.
1	US 6557837 B2	20030506	Liquid-filled cylinder- shaped hydraulic vibration isolator	267/140.11	267/141.2	Umemura; Satoshi
1	US 6557360 B2	20030506	Compressor torque computing method, air-conditioning system and engine control apparatus	62/133	62/229	Matsubara; Ryo et al.
1	US 6551072 B2	20030422	Variable displacement compressors	417/222.2	417/270; 417/313	Ota; Masaki et al.
1	US 6549187 B1	20030415	Liquid crystal display	345/96	345/100; 345/208; 345/209; 345/210; 345/94; 345/95; 345/98	Matsubara; Ryouta et al.
1	US 6547533 B2	20030415	Axial movement restriction means for swash plate compressor and compressor assembly method	417/222.2	417/269; 92/71	Ota; Masaki et al.
1	US 6546742	20030415	Displacement control method and apparatus	62/133	62/158; 62/228.5	Ota; Masaki et al.

	B1		for variable displacement compressor			
1	US 6537037 B2	20030325	Variable displacement compressor and air conditioning apparatus	417/213	137/487.5; 417/270; 62/228.5	Ota; Masaki et al.
1	US 6524077 B2	20030225	Control valve for variable displacement compressor	417/222.2	62/228.3; 62/228.5	Suitou; Ken et al.
1	US 6520749 B2	20030218	Control valve for variable displacement compressor	417/222.2	62/228.3; 62/228.5	Kimura; Kazuya et al.
1	US 6519960 B2	20030218	Air conditioner	62/228.3	417/222.2; 73/861.66	Suitou; Ken et al.
1	US 6517324 B2	20030211	Control valve for variable displacement type compressor	417/222.2	62/228.5	Ota; Masaki et al.
1	US 6517323 B2	20030211	Displacement control mechanism for variable displacement type compressor	417/222.2	62/228.3; 62/228.5	Kimura; Kazuya et al.
1	US 6511297 B2	20030128	Compressor having check valve and oil separator unit	417/222.2		Ota; Masaki et al.
1	US 6511295 B2	20030128	Compressors	417/44.1	62/259.2	Suitou; Ken et al.
1	US 6510702 B2	20030128	Control valve for variable displacement compressor	62/228.3	417/222.2	Suitou; Ken et al.
1	US 6508634 B2	20030121	Compressor utilizing spaces between cylinder bores	417/222.2	417/310	Ota; Masaki et al.
1	US 6508633 B2	20030121	Swash plate type compressor of variable capacity type	417/222.2	92/73	Matsubara; Ryo et al.
1	US 6508071 B2	20030121	Air conditioner and displacement control valve for variable displacement compressor	62/228.3	417/222.2; 73/861.53	Ota; Masaki et al.
1	US 6505473 B2	20030114	Vehicle air conditioner and method for controlling vehicle air conditioner	62/133	62/228.3	Suitou; Ken et al.

1	US 6499975 B2	20021231	Means for sealing the cylinder bore of a variable displacement compressor without using a valve plate	417/571	417/222.2; 417/269	Ota; Masaki et al.
1	US 6478646 B1	20021112	Drive device of inboard and outboard engines	440/112	440/88R	Fukuoka; Teruhito et al.
1	US 6476465 B2	20021105	Integrated circuit package for mounting	257/666	257/772; 257/773; 257/774; 257/778	Hirose; Tatsuya
1	US 6474955 B1	20021105	Hinge mechanism for variable displacement compressors	417/222.2	417/269; 91/505; 92/71	Ota; Masaki et al.
1	US 6471024 B2	20021029	Torque limiting mechanism	192/56.5	192/53.6	Ota; Masaki et al.
1	US 6459991 B1	20021001	Collision in right/left turn prevention system	701/301	340/435; 340/903; 701/208; 701/24	Takiguchi; Akihiko et al.
1	US 6457319 B1	20021001	Air conditioner and control valve in variable displacement compressor	62/228.3	417/43; 62/228.5	Ota; Masaki et al.
1	US 6453685 B2	20020924	Control apparatus and control method for variable displacement compressor	62/115	62/227; 62/228.3	Ota; Masaki et al.
1	US 6449971 B1	20020917	Air-conditioning system	62/228.3	417/222.2; 62/160	Kimura; Kazuya et al.
1	US 6447258 B2	20020910	Control valve for variable displacement compressor	417/222.2	137/565.16	Ota; Masaki et al.
1	US 6434956 B1	20020820	Control valve and method for controlling an air-conditioning system	62/133	417/222.2; 62/228.3	Ota; Masaki et al.
1	US 6412294 B2	20020702	Control device of variable displacement compressor	62/228.3	62/229; 62/323.1	Kimura; Kazuya et al.
1	US 6389824 B2	20020521	Controller for variable displacement compressor	62/115	417/222.2; 62/227; 62/417	Ota; Masaki et al.

1	US 6385982 B1	20020514	Air conditioning apparatus	62/209	62/228.3; 62/229	Ota; Masaki et al.
1	US 6385979 B2	20020514	Displacement control apparatus and method for variable displacement compressor	62/115	62/133; 62/209; 62/228.3	Ota; Masaki et al.
1	US 6379120 B1	20020430	Variable-displacement compressor	417/222.1	91/505; 92/76	Adaniya; Taku et al.
1	US 6375059 B2	20020423	Method for smoothing steel pipe seam portion	228/117	228/112.1; 228/125; 228/158	Ohnishi; Toshio et al.
1	US 6373456 B1	20020416	Liquid crystal display	345/94	345/87; 345/96	Matsubara; Ryouta
1	US 6371734 B1	20020416	Control valve for variable displacement compressor	417/222.2	92/12.2	Ota; Masaki et al.
1	US 6361283 B1	20020326	Displacement control valve	417/222.2		Ota; Masaki et al.
1	US 6360171 B1	20020319	Bumping prevention system	701/301	180/168; 340/425.5; 340/436; 340/903; 701/36	Miyamoto; Kazumasa et al.
1	US 6358017 B1	20020319	Control valve for variable displacement compressor	417/222.2		Ota; Masaki et al.
1	US 6354811 B1	20020312	Control valve for variable displacement compressors	417/222.2	137/596.17; 417/270	Ota; Masaki et al.
1	US 6343540 B1	20020205	Piston installing method and positioning jig	92/128	29/281.5	Ota; Masaki et al.
1	US 6339192 B1	20020115	Three-phase bus-bar structure having noise- filtering function	174/72B	174/149B; 174/88B; 361/611; 361/638; 361/775; 439/212	Hashimoto; Yuji
1	US 6337637 B1	20020108	Collision with pedestrian prevention system	340/901	180/271; 340/425.5; 340/435;	Kubota; Koji et al.



					340/436; 340/917; 340/925; 340/944; 367/909; 701/117; 701/301	
1	US 6336335 B1	20020108	Engine control apparatus of vehicle having air conditioner	62/133	123/198R; 123/339.17; 62/228.3; 62/229; 62/243	Ota; Masaki et al.
1	US 6331216 B1	20011218	Steel pipe having high ductility and high strength and process for production thereof	148/320	148/593	Toyooka; Takaaki et al.
1	US 6302657 B1	20011016	Structure for controlling capacity in variable displacement compressor	417/222.2	417/222.1; 417/269; 91/499; 92/71	Ota; Masaki et al.
1	US 6290789 B1	20010918	Ultrafine-grain steel pipe and process for manufacturing the same	148/593	148/648; 148/654	Toyooka; Takaaki et al.
1	US 6249013 B1	20010619	Microwave-millimeter wave circuit device and method for manufacturing the same	257/208	257/209; 257/211; 257/347; 257/664; 257/734; 257/775	Hirose; Tatsuya
1	US 6216940 B1	20010417	Pipe forming roll apparatus and method	228/147	228/17.5; 72/52	Sugano; Koji et al.
1	US 6216511 B1	20010417	Apparatus and method for smoothing a welded seam of steel pipe	72/113	72/208; 72/370.01; 72/52	Ohnishi; Toshio et al.
1	US 6211901 B1	20010403	Video data distributing device by video on demand	725/93		Imajima; Yoshiaki et al.
1	US D439651 S	20010327	Rotor for heater	D23/386		Moroi; Takahiro et al.
1	US 6206296 B1	20010327	Rotor for heat generators and its manufacturing method	237/12.3R	122/26; 126/247	Suzuki; Shigeru et al.

1	US D434487 S	20001128	Rotor for heater	D23/386		Moroi; Takahiro et al.
1	US 6152084 A	20001128	Viscous fluid type heat generator filled with regulated amount of viscous fluid	122/26	126/247	Ban; Takashi et al.
1	US 6138920 A	20001031	Vehicle heating system and a method of controlling the same system	237/12.3R	122/26; 126/247	Ban; Takashi et al.
1	US 6134898 A	20001024	Positive-displacement- type refrigerant compressor with a novel oil-separating and lubricating system	62/193	62/470; 62/84	Umemura; Satoshi et al.
1	US 6129287 A	20001010	Viscous fluid type heat generating apparatus	237/12.3R	122/26; 126/247	Hirose; Tatsuya et al.
1	US 6116514 A	20000912	Vehicular heat generators and viscous fluids for the same	237/12.3R	122/26; 123/142.5R; 126/247; 237/12.3B	Moroi; Takahiro et al.
1	US 6097097 A	20000801	Semiconductor device face-down bonded with pillars	257/778	174/549; 257/659; 257/664; 257/680; 257/691; 257/698; 257/737; 257/738; 257/788; 257/E21.511; 257/E23.021; 257/E23.175	Hirose; Tatsuya
1	US 6077048 A	20000620	Torque limiting mechanism	417/223	417/269	Okada; Masahiko et al.
1	US 6047666 A	20000411	Heat generator	122/26	126/247; 237/12.3R	Ban; Takashi et al.
1	US 6041632 A	20000328	Pipe forming roll apparatus and method	72/14.4	72/179; 72/247; 72/52	Sugano; Koji et al.
1	US 6039264	20000321	Viscous fluid type heat generator	237/12.3R	122/26; 126/247;	Okabe; Takanori et

	A				237/12.3B	al.
1	US 6033189 A	20000307	Control valve	417/222.2	251/129.02; 251/129.15; 335/255; 439/607	Miura; Shintaro et al.
1	US D420122 S	20000201	Rotor for heater	D23/386		Moroi; Takahiro et al.
1	US 6019693 A	20000201	Method for mounting two auxiliary machines to automobile and power transmission device	474/150	474/170; 474/199; 474/903	Ban; Takashi et al.
1	US 6015349 A	20000118	Power transmission mechanism for compressors	464/31	417/223	Okada; Masahiko et al.
1	US 6006789 A	19991228	Method of preparing a steel pipe, an apparatus thereof and a steel pipe	138/171	228/102; 228/149	Toyooka; Takaaki et al.
1	US 5971291 A	19991026	Heat generating apparatus employing viscous fluid	237/12.3R	122/26; 126/247	Moroi; Takahiro et al.
1	US 5970972 A	19991026	Viscous fluid type heat generator with heat generation regulating performance	126/247	122/26; 123/142.5R; 237/12.3B; 237/12.3R	Suzuki; Shigeru et al.
1	US 5954266 A	19990921	Heating apparatus for vehicle	237/12.3R	122/26; 126/247	Hoshino; Tatsuyuki et al.
1	US 5954148 A	19990921	Crawler apparatus for vehicle	180/9.21	180/9.64; 305/131	Okumura; Kazumasa et al.
1	US 5944491 A	19990831	Piston-type compressor with improved shock absorption during start up	417/213	417/270	Yakomachi; Naoya et al.
1	US 5942132 A	19990824	Method of and apparatus for producing steel pipes	219/61.2		Toyooka; Takaaki et al.
1	US 5937648 A	19990817	Gas compression/expansion apparatus	60/523	60/517	Hirose; Tatsuya et al.
1	US 5915341 A	19990629	Viscous heater with shear force increasing means	122/26	126/247	Moroi; Takahiro et al.

1	US 5913306 A	19990622	Viscous fluid heater	126/247	122/26; 123/142.5R; 237/12.3R	Moroi; Takahiro et al.
1	US 5911361 A	19990615	Viscous heater	237/12.3R	126/247	Suzuki; Shigeru et al.
1	US 5904120 A	19990518	Viscous heater	122/26	126/247	Ban; Takashi et al.
1	US 5887559 A	19990330	Heating device for vehicle	123/142.5R	122/26; 126/247; 237/12.3B	Ban; Takashi et al.
1	US 5887551 A	19990330	Viscous fluid type heat generator with heat- generating performance changing ability	122/26	126/247; 237/12.3R	Ban; Takashi et al.
1	US 5881953 A	19990316	Viscous fluid type heat generator with heat generation increasing means	237/12.3R	122/26; 126/247	Moroi; Takahiro et al.
1	US 5881682 A	19990316	Heat generator for automotive vehicles	122/26	123/142.5R; 237/12.3R	Hirose; Tatsuya et al.
1	US 5845608 A	19981208	Variable capacity type viscous heater	122/26	126/247	Ban; Takashi et al.
1	US 5784911 A	19980728	Apparatus for manufacturing a welded pipe	72/52	72/176; 72/178	Hashimoto; Yuji et al.
1	US 5765545 A	19980616	Viscous fluid type heat generator with heat- generation performance changing unit	126/247	122/26	Ban; Takashi et al.
1	US 5712796 A	19980127	Method for evaluating the faulted sections and states in a power transmission line	702/59	702/60	Ohura; Kazutaka et al.
1	US 5699673 A	19971223	Compressed dry air supply system	62/93	62/272; 62/468	Hoshino; Tatsuyuki et al.
1	US 5694828 A	19971209	Cam plate type compressor	92/71	417/269	Umemura; Satoshi et al.
1	US	19971007	Wave cam for a	D15/7		Murakami;

	D384675 S		compressor			Kazuo et al.
1	US 5599264 A	19970204	Roller width adjusting device for a divided type molding roller	492/39	72/247	Hashimoto; Yuji et al.
1	US 5596920 A	19970128	Swash plate type compressor	92/71	417/269; 74/60	Umemura; Satoshi et al.
1	US 5583492 A	19961210	Method and apparatus for monitoring inside a manhole	340/870.02	340/870.01; 340/870.31; 343/719	Nakanishi; Yutaka et al.
1	US 5528976 A	19960625	Swash plate type compressor with bearing assembly	92/71	417/269; 74/60; 91/502	Ikeda; Hayato et al.
1	US 5436205 A	19950725	Method of forming electrode in semiconductor device	438/572	257/E21.158; 257/E21.314; 257/E21.407; 438/606; 438/695	Hirose; Tatsuya
1	US 5341006 A	19940823	Semiconductor device having diffusion- preventing layer between III-V layer and IV layer	257/190	257/200; 257/616; 257/E21.123	Hirose; Tatsuya
1	US 5244355 A	19930914	Swash plate type compressor	417/269		Fujii; Toshiro et al.
1	US 5182701 A	19930126	Three-phase PWM inverter providing an improved output sinusoidal waveform	363/98	363/95	Mochikawa; Hiroshi et al.
1	US 5078582 A	19920107	Reciprocatory piston type compressor having a noise and vibration suppressed discharge valve mechanism	417/571	137/512.15	Ohbayashi; Masakazu et al.
1	US 5074768 A	19911224	Piston compressor	417/571	137/512.15	Kawamura; Hisato et al.
1	US 4911614 A	19900327	Piston type compressor provided with valve assembly structure for reducing noise	417/269	137/514; 137/856; 417/571	Kawai; Katsunori et al.
1	US 4531779	19850730	Automotive seat with lumbar support	297/284.4		Hashimoto; Yuji

	A					
1	US 4315750 A	19820216	Sprocket chain	474/153	474/231	Kawashima; Yoshinori et al.
1	US 3949156 A	19760406	Floor cable with folded portions for making branch connections and method of producing same	174/72R	140/102; 156/50; 174/10; 174/72TR	Niimura; Nagato et al.